



Patent

Docket No. 159447-0001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Patent of:

Patrick R. CRANE, et al.

Patent No.: 7,002,481

Issued: February 21, 2006

Serial No.: 10/091,852

Filed: March 5, 2002

For: MONITORING SYSTEM AND
METHOD

Customer No.: 29000

Confirmation No.: 8586

Group Art Unit: 2632

Examiner: Tang, Son M.

REQUEST FOR CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323ATTN: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450Certificate
APR 12 2007
of Correction

Sir:

In reviewing the above-identified patent, it has been discovered that errors occurred, which are not attributable to the Patent and Trademark Office. The errors are shown on the enclosed form PTO 1050. All errors not attributable to the PTO are believed to be a clerical or typographical nature, or of minor character, and were made in good faith. It is respectfully requested that a Certificate of Correction be issued.

04/10/2007 CCHAU1 00000058 090946 7002481

01 FC:1811 100.00 DA

CERTIFICATE OF MAILING (37 C.F.R. § 1.8a)

I hereby certify that this paper (along with any referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as First Class Mail in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

April 2, 2007
Date of Deposit

1663857.1 02

Connie Kwon

Name of Person Mailing Paper

Signature of Person Mailing Paper

APR 12 2007

Please charge Deposit Account **09-0946** in the amount of \$100.00 for the fee set forth under 37 C.F.R. § 1.20(a). Please charge any deficiencies in connection with this communication, or credit any overpayment, to Deposit Account **09-0946**.

It is believed that the issuance of a Certificate of Correction is appropriate to correct these errors. However, if the Patent and Trademark Office deems that a Certificate of Correction is not needed, it is requested that this letter be entered into the patent file and the patentees so notified. If some further action is needed, the undersigned attorney may be contacted to expedite any such action.

Respectfully submitted,

IRELL & MANELLA LLP

Dated: April 2, 2007

1800 Avenue of the Stars, Suite 900
Los Angeles, California 90067-4276
Telephone: (310) 277-1010
Facsimile: (310) 203-7199

By: 

Christopher A. Vanderlaan
Reg. No. 37,747

APR 12 2007

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,002,481 B1
APPLICATION NO.: 10/091,852
ISSUE DATE : February 21, 2006
INVENTOR(S) : Patrick R. Crane, et al.

Page 1 of 1

It is certified that errors appear in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

IN THE CLAIMS:

Column 17,

Line 9, claim 25, "system" should be --station--.

Column 20,

Line 9, claim 50, "system" should be --station--.

MAILING ADDRESS OF SENDER: Christopher A. Vanderlaan
Irell & Manella LLP
1800 Avenue of The Stars
Suite 900
Los Angeles, CA 90067-4276
Telephone: 310-277-1010
Facsimile: 310-203-7199

PATENT NO. 7,002,481 B2